

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

47-079-00217-P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Putnam Land Operator Well No.: 35

LOCATION: Elevation: 968.4' Quadrangle: Kenna

District: Union County: Putnam

Latitude: 4208 Feet South of 38 Deg. 40 Min. 00 Sec.

Longitude: 9572 Feet West of 81 Deg. 42 Min. 30 Sec.

Received
Office of Oil & Gas

MAR 23 2015

Well Type: OIL GAS X

Company Cabot Oil & Gas Coal Operator See attached for coal owners

5 Penn Center W Suite 400 or Owner

Pittsburgh, PA 15276

Coal Operator

Agent Whitney Johnson or Owner

Permit Issued Date 10-20-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Roane ss:

Bill Shreve and Brian Shreve being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 1st day of December, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	5174'	4805'		
6% Gel	4805'	2855'	5174' of 2 3/8"	0' of 2 3/8"
Cement	2855'	2505'		
6% Gel	2505'	2300'	2805' of 7"	2259' of 7"
Cement	2300'	2200'		
6% Gel	2200'	2100'	145' of 10"	931' of 10"
Cement	2100'	1700'		

(over)

Description of monument: 8' of 7" with API # and Date Plugged and that the work of plugging and filling said well was completed on the 20th day of December, 2014.

And further deponents saith not.


Bill Shreve

Brian Shreve

Sworn and subscribe before me this 22nd day of December, 2014

My commission expires: 7/22/2020

Sandra B. Wilson
Notary Public



Affidavit reviewed by the Office of Oil and Gas: James S. Stover

Title: Inspector

James S. Stover Notes

79.00217P

Received
Office of Oil & Gas

MAR 23 2015

Plugging done by Shreve
Well service for Cabot Oil & Gas
47-079-00217-P

all work done during the Month of
Nov. & Dec.
2014

Type	From	To
6% Gel Cement	1700'	1126'
6% Gel Cement	1126'	926'
	926'	200'
	200'	Surface

a few issues
on going on

Reclamation
Jamie Stevens
Jan. 9th, 2015

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: SAMS, A. L. Operator Well No.: 808115 801885 *fm*

LOCATION: Elevation: 999' Quadrangle: NEWTON, WV 7.5'
District: GEARY County: ROANE
Latitude: (N) 38.5879817 South of _____ Deg. _____ Min. _____ Sec.
Longitude: (W) 81.1725895 West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS ✓

Company: CHESAPEAKE APPALACHIA, LLC Coal Operator MARTHA MILLER
PO Box 18496 or Owner 103 STOFFEL RD.
OKLAHOMA CITY, OK 73154-0498 ELKVIEW, WV 20571

Agent: ERIC B. GILLESPIE Coal Operator CHARLES SMITH
or Owner 94 DOGWOOD TRAIL
NAIPER, WV 26631

Permit Issued Date: 11-25-2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

JAMES E. SMITH
306 WOODBRIDGE DR.
JOHNSON CITY, TN 37604

RICHARD D. MOORE and TOMMY ESTEP being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 12TH day of DECEMBER, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>CEMENT</u>	<u>1730'</u>	<u>1625'</u>	<u>1760' OF 3 1/2"</u>	<u>95'</u>
<u>CEMENT</u>	<u>1150'</u>	<u>1050'</u>		
<u>CEMENT</u>	<u>700'</u>	<u>600'</u>	<u>650' OF 7"</u>	<u>1038'</u>
<u>CEMENT</u>	<u>500'</u>	<u>400'</u>		
<u>CEMENT</u>	<u>130'</u>	<u>0'</u>		
<u>* 6% GEL BETWEEN ALL CEMENT PLUGS</u>				

Received
Office of Oil & Gas
MAR 24 2015

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 19TH day of DECEMBER, 2014.

And further deponents saith not.

Richard D Moore

Tommy Estep

Sworn and subscribe before me this 4th day of March, 2015.
My commission expires: Feb 6, 2019

Notary Public



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas:

Did not witness all plugs

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: DRENNEN, GERRY Operator Well No.: 80112

LOCATION: Elevation: 1058' Quadrangle: CL10, WV 7.5'
District: GERRY County: ROANE
Latitude (N) 38.5790025 South of _____ Deg. _____ Min. _____ Sec.
Longitude (W) 81.2811622 West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS ☒

Company: CHESAPEAKE APPALACHIA, LLC Coal Operator SEE ATTACHED LIST
PO BOX 18496 or Owner
OKLAHOMA CITY, OK 73154-0496

Agent: ERIC B. GILLESPIE Coal Operator
or Owner

Permit Issued Date: 12-08-2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD D. MOORE and TOMMY ESTEP being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 20th day of DECEMBER, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>CEMENT</u>	<u>1958'</u>	<u>1337'</u>	<u>INSIDE 3 1/2"</u>	
<u>CEMENT</u>	<u>1337'</u>	<u>1237'</u>	<u>1337' OF 3 1/2"</u>	<u>700'</u>
<u>CEMENT</u>	<u>950'</u>	<u>850'</u>	<u>HOLES RIPPED IN 7"</u>	<u>1337'-1237</u>
<u>CEMENT</u>	<u>710'</u>	<u>610'</u>	<u>900' OF 7"</u>	<u>956'</u>
<u>CEMENT</u>	<u>450'</u>	<u>350'</u>		
<u>CEMENT</u>	<u>200'</u>	<u>0'</u>		
<u>* 6% GEL BETWEEN ALL CEMENT PLUGS</u>				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 30th day of DECEMBER, 2014.


And further deponents saith not.

Richard D Moore

Tommy Estep

Sworn and subscribe before me this 4th day of March, 2015
My commission expires: Feb 16 2019

Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Did Not witness all plugs

COAL OWNERS

801112 P&A (surface and coal owner)

Robert O. Moore, Jr. et ux
✓ 493 Andy's Run Road
Clendenin, WV 25045

801112 P&A (coal owner)

✓ Stalnaker Energy Corp
P.O. Box 178
Glenville, WV 26351

801112 P&A (coal owner)

✓ David Morrison
701 Ellette Drive
Charleston, WV 26311

801112 P&A (coal owner)

✓ Judy Hildreth
961 Egypt Ridge
Spencer, WV 25276

801112 P&A (coal owner)

✓ David E. Bassi (DNU)
41 Yankee Avenue
Bangor, Maine 44010

801112 P&A (coal owner)

✓ Michael S. Bassi
383 Lakeview Avenue
Dedham, Maine 44294

801112 P&A (coal owner)

✓ James Milton Geary, Jr.
P.O. Box 453
Clendenin, WV 25045

801112 P&A (coal owner)

✓ James Paul Geary
P.O. Box 218
Petersburg, WV 26847

801112 P&A (coal owner)

✓ Judith Lynn Geary
133 The Fields
Williamstown, WV 26187

801112 P&A (coal owner)

✓ Rosa L. Goodrich
808 Eastern Avenue
Holden, Maine 44290

and

✓ Rosa L. Goodrich
Box 3382
Brewer, Maine 44120

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

API # 47-051-00876
WELL #MH-6

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, on copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective address

Consol Mining Company, LLC
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317

Address
Consol Mining Company, LLC
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317

Address
David M. Gilmore ET UX
Lease or Property Owner
1031 Fall Run Ln, Cameron, WV 26033
Address of Lease or Property Owner

CNX Gas Company LLC
Name of Well Operator
200 Evergreene Drive, Waynesburg, PA 15370

Complete Address
Cameron, WV 7.5'
Well Location
Liberty

District
Marshall
County
MH-6
Well No.
David Gilmore
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

State of West Virginia
County of Marshall:

Joe Sommerville and Tim Simmons, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by CNX Gas Company, LLC, Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on 12-12-14, and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Tagged TD at 1166'. Run bond log on 7" casing and showed bonded to surface. Run 6" bit/mill to TD and drilled 1' of cement plug. Logs shwed drillpipe lost and well cement back to 1166'. Talked to state man and said ok to plug well. Plugged well from 1167" to surface with 240 sacks of class a cement (solid plug).		Cemented hole from 1167" to surface with 240 sacks of class A cement.	13 3/8" casing (0)	30'
			10 3/4" casing (0)	1192'
			7" casing (0)	unknown
			RECEIVED Office of Oil and Gas MAR 25 2015 WV Department of Environmental Protection	
Coal Seams		Description of Monument		
Pittsburgh Coal	1123' - 1132'	7" monument with vent on top and well number		
Freeport Coal	1715' - 1721'	And Permit numbers welded on it.		
(Name)				
(Name)				

... and that the work of plugging and filling said well monument

... and that the work of plugging and filling said well was completed on 12-19-14.

And further deponents saith not.


Joe Sommerville
Joe Sommerville

Tim Simmons
Tim Simmons

Sworn to and subscribed before me this the 23 Jan 15

David N. Brannon
Notary Public

My commission expires on: December 10, 2017



DATE: January 30, 2015

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Huntington Dev & Gas

Operator Well No.: 805461 P&A

Location: Elevation: 1118'
District: Laurel Hill
Latitude: 38.1801798
Longitude: -82.1554874

Quadrangle: Branchland, WV 7.5'
County: Lincoln

Well Type: OIL _____ GAS ☒ X

Company: Chesapeake Appalachia, L.L.C.
P.O. Box 18496
Oklahoma City, OK 73154

Coal Operator or Owner Pocahontas Land Corp
800 Princeton Avenue
Bluefield, WV 24701

Agent: Jessica Greathouse

Coal Operator or Owner

Permit Issued Date:

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln

Ray McCallister and Robbie Johnson being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 12th day of January, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1790'	1500'	4 ½" casing 1310'	4 ½" - 1310' - 1834' = 524'
Gel	1500'	1300'		
Cement	1300'	1125'		7" - 1260' - 1659' = 399
Gel	1125'	930'		
Cement	930'	830'		8 ¼" = 331'
Gel	830'	550'		
Cement	550'	450'		10 ¾" = 21'
Gel	450'	400'		
Cement	400'	300'		
Gel	300'	150'		
Cement	150'	Surface		

Description of monument: 7" casing and that the work of plugging and filling said well was completed on the 15th day of September, 2014.

And further deponents saith not.


Ray McCallister
Ray McCallister

Robbie Johnson
Robbie Johnson

Sworn and subscribe before me this 24th day of February, 2015

My commission expires: September 16, 2018

Phyllis A. Copley
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Title: inspector OOG

RECEIVED
Office of Oil and Gas

MAR 2 2015

WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
WALLACE, WV 7.5'
Well Location
MANNINGTON
District
MARION
County
6307
Well No.
CONSOLIDATION COAL CO.
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Hinkley 3-24-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of December, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 182'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 182' to 1101'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1054' to 1061'. Removed 169' of 8 5/8" casing from 1101' to 1270'. Left 175' of 8 5/8" casing in the hole from 1270' to 1445'. Continued to clean 9 7/8" hole from 1101' to 1270'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1270' to 1410'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1410' to 1445'. Left 20' of 16" conductor casing in the hole from Surface to 20'.		16" Conductor 8 5/8"	0' 169'	20' 175'
<u>Cemented hole from 1445' back to Surface as follows:</u> From 1445' to 1261' with 38 sacks of Expandable Cement. From 1261' to 954' with 180 sacks of Thixotropic Cement with green dye. From 954' back to the Surface with 370 sacks of Expandable Cement. Cement did circulate at the Surface.		RECEIVED Office of Oil and Gas MAR 24 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(1054' - 1061')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15th day of January, 2015.

And further deponents saith not.


Roger Moore
Roger Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 3 day of February 2015

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-049-01236-P
Well No. 6307



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
8005
Well No.
CONSOLIDATION COAL CO.
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Horneford 3-24-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of January, 2015 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 3112' of Sucker Rods from Surface to 3112'. Removed 3127' of 2 3/8" tubing from Surface to 3127'. Cleaned 3 1/2" hole from Surface to 3168' through 4 1/2" casing. Tagged solid plug at 3168'. Removed 1735' of 4 1/2" casing from Surface to 1735'. Left an unknown amount of 4 1/2" casing in the hole from 1735' to an unknown depth. Cemented bottom hole plug from 3168' to 1731' with 90 sacks of Expandable Cement. Cleaned 6 1/2" hole through 7" casing from Surface to 1731'. Tagged top of bottom hole plug at 1731'. Cut 7" casing at the following depths: 1009', 991', 891', 809', 785', 685', 585', 510', 485', 385', 310', 285', 185', and 85'. Removed 43' of 7" casing from Surface to 43'. Left an unknown amount of 7" casing in the hole from 43' to an unknown depth. Jet cut 7" and 10 3/4" casing at the following depths: 795', 793', 791', 789', 787', 785', 783', and 781'. Jet cut through the Pittsburgh Coal seam from 785' to 791'. Left an unknown amount of 10 3/4" casing in the hole from Surface to an unknown depth. All casing left in the hole showed extreme bond due to having been previously cemented. Left 6' of 16" conductor casing in the hole from Surface to 6'.	Sucker Rods	3112'	0'	
	2 3/8"	3127'	0'	
	4 1/2"	1735'	Unknown	
	7"	43'	Unknown	
	10 3/4"	0'	Unknown	
	16"	0'	6'	
<u>Cemented hole from the top of the bottom hole plug at 1731' back to the Surface as follows:</u> From 1731' to 991' with 88 sacks of Expandable Cement. From 991' to 685' with 75 sacks of Thixotropic Cement with green dye. From 685' back to the Surface with 97 sacks of Expandable Cement. Cement did circulate at the surface.		RECEIVED Office of Oil and Gas MAR 24 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(785' - 791')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas
MAR 24 2015
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 6th day of February, 2015.

And further deponents saith not.


Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 26 day of February 2015

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Official Seal
Notary Public, State Of West Virginia
Kara Beth Forst
North American Office LLC
70 Gum Spring Rd
Morgantown WV 26505
My commission expires November 4, 2023
Permit No. 47-049-01477-P
Well No. 8005

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY H. MICHAEL
Lease or Property Owner
PO BOX 221, MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
7701
Well No.
HAYS, J.L. & A.J.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

Beth Forst 3-24-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of December, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 196'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 196' to 1212'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 742' to 748'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1212' to 1994'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1994' to 2064'. Tagged solid plug at 2064'. Left 16' of 16" conductor casing in the hole from Surface to 16'. <u>Cemented hole from 2064' back to the Surface as follows:</u> From 2064' to 951' with 325 sacks of Expandable Cement. From 951' to 639' with 190 sacks of Thixotropic Cement with green dye. From 639' back to the Surface with 320 sacks of Expandable Cement. Cement did circulate at the surface.	16" Conductor	0'	16'	
		RECEIVED Office of Oil and Gas MAR 24 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(742' – 748')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 7th day of January, 2015.

And further deponents saith not.


Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9 day of February 2015

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02370-P
Well No. 7701

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

FREELAND W. MILLER
Lease or Property Owner
PO BOX 91 RACHEL, WV 26587
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554

Complete Address
MANNINGTON 7.5'

Well Location
MANNINGTON

District
MARION

County
3358

Well No.

MILLER, FREELAND W.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of November, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 790' of 8 5/8" casing from the hole from 8' to 798'. Left 472' of 8 5/8" casing in the hole from 798' to 1270'. Cut remaining 8 5/8" casing at the following depths: 808', 834' and 936'. Cleaned 9 7/8" hole from Surface to 798. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 721' to 728'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 798' to 1850'. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor 8 5/8"	0' 790'	20' 472'	
Cemented hole from 1850' back to surface as follows: From 1850' to 928' with 181 sacks of Expandable Cement. From 928' to 621' with 130 sacks of Thixotropic Cement with green dye. From 621' back to the Surface with 252 sacks of Expandable Cement. Cement did circulate at the Surface.				
Coal Seams		Description of Monument		
Pittsburgh	(721' - 728')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas

MAR 24 2015

WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 15th day of December, 2014

And further deponents saith not.


Roger Moore
Roger Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 2 day of February 2015

Kona Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02373-P
Well No. 3358

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
R-427
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Beth Hershfield* 3-24-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 11th day of February, 2015 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/8" hole from Surface to 252'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 252' to 1222'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 937' to 943'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1222' to 1275'. Tagged top of 8 5/8" casing at 1275'. Left 189' of 8 5/8" casing in the hole from 1275' to 1464'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1275' to 2318'. Tagged solid plug at 2318'. Left 18' of 16" conductor casing in the hole from Surface to 189'. <u>Cemented hole from 2318' back to the Surface as follows:</u> From 2318' to 1176' with 290 sacks of Expandable Cement. From 1176' to 816' with 175 sacks of Thixotropic Cement with green dye. From 816' back to the Surface with 385 sacks of Expandable Cement. Cement did circulate at the surface.	8 5/8"	0'	189'	
	16"	0'	18'	
		RECEIVED Office of Oil and Gas MAR 24 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(937' – 943')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 10th day of March, 2015.

And further deponents saith not.

Russell Smallwood
Russell Smallwood


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 16 day of March 2015

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-049-02378-P
Well No. R-427



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY H. MICHAEL
Lease or Property Owner
PO BOX 221, MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5251
Well No.
MICHAEL, JEFFREY H.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bob Hechler* 3-24-15
AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15th day of December, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 229'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 229' to 977'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 977' to 1087'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1087' to 1120'. Tagged solid plug at 1120'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 731' to 737'. Left 20' of 16" conductor casing in the hole from Surface to 20'. <u>Cemented hole from 1120' back to the Surface as follows:</u> From 1120' to 937' with 70 sacks of Expandable Cement. From 937' to 631' with 170 sacks of Thixotropic Cement with green dye. From 631' back to the Surface with 320 sacks of Expandable Cement. Cement did circulate at the Surface.		16"	0'	20'
			RECEIVED Office of Oil and Gas MAR 24 2015 WV Department of Environmental Protection	
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	(731' – 737')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas
MAR 24 2015
WV Department of
Environmental Protection


... and that the work of plugging and filling said well was completed on the 8th day of January, 2015.

And further deponents saith not.

Delbert Moore
Delbert Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 24th day of March 2015

My commission expires: 9-12-17



Carole A. Mayle
Notary Public

COPY

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
ELVA G. WOLFE
Lease or Property Owner
2741 CURVE BRIDGE ROAD, GRAFTON, WV 26354
Address

ICG TYGART VALLEY, LLC
Name of Well Operator
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Complete Address
THORNTON (638)
Well Location
KNOTTSTOWN
District
TAYLOR
County
CNGP-6021
Well No.
WOLFE, IRIS
Farm

STATE INSPECTOR SUPERVISING PLUGGING

[Signature] 3-18-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RALPH HARMAN and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 9th day of March, 2015 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 3 1/2" hole through 4 1/2" casing from Surface to 3520'. Cemented bottom hole plug from 3520' to 1540' with 150 sacks of Expandable Cement. Tagged top of bottom hole plug at 1540'. Removed 1288' of 4 1/2" casing from Surface to 1288'. Left an unknown amount of 4 1/2" casing in the hole from 1288' to an unknown depth. Cleaned 7 7/8" hole from Surface to 1288'. Cleaned 7 7/8" hole through the Lower Kittaning Coal seam from 751' to 756'. Left 1020' of 8 5/8" casing in the hole from Surface to 1052'. Section milled 32' of 8 5/8" casing from 737' to 769'. Left 5' of 16" conductor casing in the hole from Surface to 5'.		16" Conductor Casing 8 5/8" Casing 4 1/2" Casing	0' Milled 32' 1288'	5' 1020' Unknown
<u>Cemented hole from the top of the bottom hole plug at 1540' back to Surface as follows:</u> From 1540' to 1156' with 40 sacks of Expandable Cement. From 1156' to 651' with 145 sacks of Thixotropic Cement with green dye. From 651' back to the Surface with 155 sacks of Expandable Cement. Cement did circulate at the Surface.		RECEIVED Office of Oil and Gas MAR 23 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
<u>LOWER KITTANING</u>	751' to 756'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 17th day of March, 2015

And further deponents saith not.

[Signature]
Ralph Harman


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 17th day of March 2015

[Signature]
Notary Public

My commission expires: 9-12-17

Permit No. 47-91-00168-P
Well No. CNGP-6021



STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

API # 47-061-00375
WELL #12485

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, on copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective address

Coal Operator or Owner

Address

Coal Operator or Owner

Address

Bruce & Flossie R. Blaney
Lease or Property Owner
117 Bull Run Road, Morgantown, WV 26508
Address of Lease or Property Owner

CNX Gas Company LLC

Name of Well Operator

200 Evergreene Drive, Waynesburg, PA 15370

Complete Address

Riversville Quad

Well Location

Clinton

District

Monongalia

County

12485

Well No.

Bruce Blaney

Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

State of West Virginia
County of Monongalia

Joe Sommerville and Tim Simmons, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by CNX Gas Company, LLC, Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on 11-4-14, and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Tag bottom hole at 4254', set plug from 4254' up to 2165'. Set gel plug from 2165' up to 1250'. Set cement plug from 1250' up to 900'. Made perfs at 650' to circulate cement behind 4 1/2" casing. Plug well from 700' up to surface.		Cemented hole from 4254' to 2165' with 163 sacks of class A cement.	11 3/4" casing (0)	33'
		Cemented hole from 1250' to 900' with 26 sacks of class A cement.	8 5/8" casing (0)	963'
		Cemented hole from 700' to surface with 38 sacks of class A cement.	4 1/2" casing (0)	4254'
		Total plug was 227 sacks of cement and cement did circulate.		
Coal Status	Description of Monument			
Pittsburgh Coal	8 5/8" well marker, 6' tall with well numbers and			
(Name)	Permit numbers welded on it.			
(Name)				
(Name)				

... and that the work of plugging and filling said well was completed on 11-14-14.

And further deponents saith not.

Joe Sommerville

Tim Simmons

Sworn to and subscribed before me this the 23 Jan 15

Notary Public

My commission expires on: December 10, 2014

RECEIVED
Office of Oil and Gas
MAR 26 2015
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

API # 47-061-01447
WELL #L-32

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, on copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective address

<u>Consolidation Coal Company</u> Coal Operator or Owner <u>1000 CONSOL Energy Drive, Canonsburg, PA</u> <u>15317</u> Address	<u>CNX Gas Company LLC</u> Name of Well Operator <u>200 Evergreene Drive, Waynesburg, PA 15370</u> Complete Address <u>Wadestown WV-PA 7.5'</u> Well Location <u>Battle</u> District <u>Monongalia</u> County <u>L-32</u> Well No. <u>Consolidation Coal Company</u> Farm
<u>Consolidation Coal Company</u> Coal Operator or Owner <u>1000 CONSOL Energy Drive, Canonsburg, PA</u> <u>15317</u> Address	
<u>Consolidation Coal Company</u> Lease or Property Owner <u>1000 CONSOL Energy Drive, Canonsburg, PA</u> <u>15317</u> Address of Lease or Property Owner	

STATE INSPECTOR SUPERVISING PLUGGING

Wayne J. Kintner 3/26/2015
Date

AFFIDAVIT

State of West Virginia
County of Monongalia:

Joe Sommerville and Tim Simmons, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by CNX Gas Company, LLC, Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on 11-17-14, and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pelled	Casing Left In
Formation				
Tagged TD at 742'. Clean out to 747'. Hole taking fluid due to mines. Ran bond log on 5 1/2" casing. Log showed casing was bonded. Talked to stateman and ok to plug well due to fluid going in mines. Plug well from 747' up to surface with 94 sacks of class A cement (solid plug).		Cemented hole from 747' to surface with 94 sacks of class A cement.	5 1/2" casing (0)	747'
Coal Seams		Description of Monument		
Pittsburgh Coal	970' - 976'	5 1/2" monument with vent on top and well number		
(Name)		And Permit numbers welded on it.		
(Name)				
(Name)				

... and that the work of plugging and filling said well was completed on 12-11-14.

And further deponents saith not.


Joe Sommerville

Tim Simmons

Sworn to and subscribed before me this the 23 Jan 15

David N. Brannon
Notary Public

My commission expires on: March 2017



RECEIVED
Office of Oil and Gas
MAR 26 2015
Department of Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: MARKWITH DENNIS Operator Well No.: THOMAS 511013

LOCATION: Elevation: 1060' Quadrangle: PENNSBORO
District: CLAY County: RITCHIE
Latitude: 39.269038 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: -80.976448 Feet West of _____ Deg. _____ Min. _____ Sec.

Received
Office of Oil & Gas
MAR 25 2015

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator DENNIS & VALERIE MARKWITH
120 PROFESSIONAL PLACE or Owner P.O. BOX 159
BRIDGEPORT, WV 26330 ELLENBORO, WEST VIRGINIA 26346 - 0159
Agent REX C. RAY Coal Operator _____
Permit Issued Date 01-16-2015 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of JACKSON ss:

JAKE SNIDER and JACK CARPENTER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2 day of FEBRUARY, 2015, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CLASS A CEMENT	5180'	4500'	RODS 5161'	0
CLASS A CEMENT	2450'	1950'	2 3/8" 5187'	0
CLASS A CEMENT	1118'	1000'	4 1/2" 0	5385' CMT TO SURFACE IN DRILLING OPERATIONS
CLASS A CEMENT	527'	400'	7" 0	1065' CMT TO SURFACE IN DRILLING OPERATIONS
CLASS A CEMENT	217'	0		
5 % GEL BETWEEN PLUGS		TAGGED 4489', 1860'	DUG OUT WELL HEAD AND FOUND CEMENT IN HEAD	COULD NOT BACK 4 1/2" OR HEAD OFF


Description of monument: 7" X 6" LONG WITH API # WELDED ON and that the work of plugging and filling said well was completed on the 11 day of FEBRUARY, 2015.

And further deponents saith not.

Sworn and subscribe before me this 12th day of February, 2015

My commission expires: June 3, 2020

Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Title: 2-27-15

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, on copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective address

Consolidation Coal Company
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317

Address

Consolidation Coal Company
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317

Address

Michael L. Koontz & Ruth L. Koontz
Lease or Property Owner
P.O. Box 199, Littleton, WV 26581
Address of Lease or Property Owner

CNX Gas Company LLC
Name of Well Operator
200 Evergreene Drive, Waynesburg, PA 15370

Complete Address

Littleton
Well Location
Clay

District
Wetzel
County
W-2
Well No.
Ruth L. Koontz
Farm

STATE INSPECTOR SUPERVISING PLUGGING W. /3-12-15
Date

AFFIDAVIT

State of West Virginia
County of Wetzel:

Joe Sommerville and Tim Simmons, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by CNX Gas Company, LLC, Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on 12-8-14, and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Formation				
Tagged bottom at 1220'. Clean out well from 1220' to TD, 2095'. Run bond log on 5 1/2" casing and showed bonded to surface. Talked to stateman and said ok to plug well to surface. Well had perfs at 1056', 1161', 1521', 1872'. Omega plugged well from 2095' to surface with 300 sacks of class A cement (solid plug).		Cemented hole from 2095' to surface with 300 sacks of class A cement.	11 3/4" casing (0)	30'
			8 5/8" casing (0)	858'
			5 1/2" casing (0)	2035'
Waynesburg Coal	832' - 834'	Description of Monument		
Sewickely Coal	1080' - 1083'	5 1/2" monument with vent on top and well number		
Pittsburgh Coal	1186' - 1192'	And Permit numbers welded on it.		
Mahoning Coal	1651' - 1653'			
Upper Kittanning	1812' - 1815'			
Lower Kittanning	1896' - 1900'			


... and that the work of plugging and filling said well was completed on 12-15-14.

And further deponents saith not.

Joe Sommerville
Joe Sommerville

Sworn to and subscribed before me this the 23 Jan 15

David N. Shannon
Notary Public

My commission expires on: December 10, 2017

RECEIVED
Office of Oil and Gas
Mar 26 2015
Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

API # 47-103-01823
WELL #W-3

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, on copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective address

Consolidation Coal Company
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317
Address

Consolidation Coal Company
Coal Operator or Owner
1000 CONSOL Energy Drive, Canonsburg, PA
15317
Address

Michael L. Koontz ET UX
Lease or Property Owner
P.O. Box 199, Littleton, WV 26581
Address of Lease or Property Owner

CNX Gas Company LLC
Name of Well Operator
200 Evergreene Drive, Waynesburg, PA 15370

Complete Address
Littleton
Well Location
Clay

District
Wetzel
County
W-3
Well No.
Paul L. Koontz
Farm

STATE INSPECTOR SUPERVISING PLUGGING Date 3-12-15

AFFIDAVIT

State of West Virginia
County of Wetzel:

Joe Sommerville and Tim Simmons, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by CNX Gas Company, LLC, Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on 12-16-14, and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Tagged bottom at 1220'. Clean out well from 1220' to TD, 2095'. Run bond log on 5 1/2" casing and showed bonded to surface. Talked to stateman and said ok to plug well to surface. Well had perfs at 1056', 1161', 1521', 1872'. Omega plugged well from 2095' to surface with 300 sacks of class A cement (solid plug).		Cemented hole from 2095' to surface with 300 sacks of class A cement.	11 3/4" casing (0) 8 5/8" casing (0) 5 1/2" casing (0)	30' 858' 2035'
Waynesburg Coal	825' - 829'	Description of Monument		
Pittsburgh Coal	1190' - 1195'	5 1/2" monument with vent on top and well head		
Brush Creek Coal	1549' - 1553'	And Permit numbers welded on it.		
Mahoning Coal	1655' - 1658'			
Middle Kittanning	1955' - 1958'			

... and that the work of plugging and filling said well was completed on 12-19-14.


And further deponents saith not.

Joe Sommerville
Joe Sommerville

Tim Simmons
Tim Simmons

Sworn to and subscribed before me this the 23 Jan 15

David A. Bannan
Notary Public

My commission expires on: December 10, 2017

RECEIVED
MAR 26 2015
Office of Oil and Gas
Department of
Environmental Protection